



	Item no.	Description
	385/0	VERIBOR Suction Lifter 1-point aluminium body collapsible handle to operate with one hand suction cup 120 mm Ø loading capacity 30 kg (horizontal, according to supplier)
	385/0KU	VERIBOR Suction Handle 1-fach plastic body collapsible handle to operate with one hand suction cup 120 mm Ø loading capacity 30 kg (horizontal, according to supplier)
	385/2	VERIBOR Suction Lifter 2-point aluminium body suction cup 120 mm Ø loading capacity 40 kg (horizontal, according to supplier) loading capacity 70 kg (vertical, according to supplier)
	385/2KU	VERIBOR Suction Handle 2-fach plastic body suction cup 120 mm Ø loading capacity 60 kg (vertical, according to supplier)
	385/2G	VERIBOR Suction Lifter 2-point - flexible for curved surfaces plastic body suction cup 120 mm Ø loading capacity 45 kg (vertical, according to supplier)

	Item no.	Description
	385/2GG	VERIBOR Suction Lifter 2-point - double swivel head for curved surfaces with joints in longitudinal and vertical direction plastic body suction cup 150 mm Ø loading capacity 45 kg (vertically, according to supplier)
	385/2WZ	VERIBOR Suction Lifter 2-point - angular for all smooth surfaces for fixing of mitres at showcases, aquariums, shop windows etc. plastic body 2 articulated joints 90 degrees marking suction cup 120 mm Ø
	385/3	VERIBOR Suction Lifter 3-point aluminium body suction cup 120 mm Ø loading capacity 100 kg (vertical, according to supplier)
 	385/3GG	VERIBOR Suction Lifter 3-point with joint head particularly suitable for the transport of large curved surfaces (windcreens for cars, trucks, buses etc.) Plastic body Suction cup 150 mm Ø Carrying capacity 75 kg (horizontal, according to supplier)

	Item no.	Description
	385/ES110	Spare Sucker for VERIBOR 385/0
	385/ES120	Spare Sucker for VERIBOR 385/2+3 with bolt and tilting lever