



Kombi 7001-A-1000

For operation on EC construction sites only permissible with mechanical holding device according to EN 13155









Description

- 1-circuit vacuum system
- the vacuum circuit has a vacuum tank with nonreturn valve, vacuum switch and control vacuum meter
- completely closed vacuum circuit prevents loss of vacuum at power failure
- warning lamp and acoustic signal indicate insufficient vacuum
- turnable row of suction cups
- fixed distance between the suction cups
- all suction cups lockable individually

Vacuum Generation

- built-in low maintenance vacuum pump (dry running system)
- for operation on power networks

Operation

Load capacity:

Colour:

ON/OFF directly at the device
 SUCTION/RELEASE via cable remote control

optionally

via radio remote control


yellow / partly zinked


1/4

Suspension: crane eye at the carrying frame /

2-fold crane string 400 kg / 1000 kg

suitable for lifting						
material properties	gas-tight					
surface	smooth					
e. g.	glass panes, sealed units, window and curtain walling elements, plastic and ceramic plates, coated boards					
suction cup type	388					
diameter in action approx. mm	300					
quality of suction cups	black rubber abrasion possible up to 80° C heat resistant from 4 mm glass thickness					
number of suction cups	4	6	8	10		
safe working load on smooth and clean surface at 60 % vacuum on construction sites outside the EU /						
in-company kg	400	600	800	1000		
outer distance of the suction cup approx. mm	2000 x 300	2500 x 300	3000 x 300	4000 x 300		
dead weight approx. kg						
distribution voltage	230 V / 50 Hz / 1 phase					
Item No.: 7001-A-1000-230	-04	-06	-08	-10		
distribution voltage	110 V / 50 Hz / 1 phase					
Item No.: 7001-A-1000-110	-04	-06	-08	-10		
distribution voltage		400 V / 50 H	z / 3 phases			
Item No.: 7001-A-1000-400	-04	-06	-08	-10		
Accessories on request						
Item No.: 388-SCHUTZ	protection cap for suction cup 388					
Item No.: 7003-VLA	set extensions (2 pieces) – approx. 500 mm					
Item No.: 7003-FB-SL-2K	radio remote control SUCTION / RELEASE					
Rem No.: 7005-1 D-0L-210			device equipped with : mark-free suction cups for coated glass			
Item No.: OPT-388TR		h : mark-free suction h : Softer suction cup		3		











Kombi 7001-A-1000 with 4 suction cups 388




Kombi 7001-A-1000 with 8 suction cups 388




Examples for special solutions If required, please contact us.

Kombi 7001-A-1000 in shorter version



Kombi 7001-A-1000 with 2 extensions



7001-A-1000_GB.doc - 22.03.2014 Haendelweg 5 23556 Luebeck